

Disinfecting Ultrasound Transducers Used in Percutaneous Procedures: What Practitioners Need to Know about the Intersocietal Position Statement

**Wednesday, 13 July 2022
1:00 pm EDT**

Presentation References

Entries for each presentation are provided alphabetically by author or title. Where a citation is referenced on a particular slide, the number of the slide within the presentation is provided in brackets at the end of the listing (e.g, [Kripfgans, slides 3, 5.]).

Glynis Harvey, CAE Welcome and Introduction

American Institute of Ultrasound in Medicine [home page]. Available at: www.aium.org. [Harvey, slides 2,3.]

AIUM Future Fund [online]. Available at: www.aium.org/grants/eer.aspx. [Harvey, slide 5.]

Disinfection of ultrasound transducers used for percutaneous procedures: Intersocietal Position Statement. *J Ultrasound Med.* 2021;40(5):895–897; doi: [10.1002/jum.15653](https://doi.org/10.1002/jum.15653). [Harvey, slide 4.]

Erratum: Correction to the article, “Disinfection of ultrasound transducers used for percutaneous procedures: Intersocietal Position Statement” (doi:[10.1002/jum.15653](https://doi.org/10.1002/jum.15653)). *J Ultrasound Med.* 2022;41(3):797; doi: [10.1002/jum.15906](https://doi.org/10.1002/jum.15906). [Adds the names of additional supporting organizations. No other corrections were made. Harvey, slide 4.]

Parker Laboratories [home page]. Available at: www.parkerlabs.com. [Harvey, slide 5.]

Christopher Kumetz, MD Consequences of Unnecessary High-Level Disinfection

Guideline for Ultrasound Transducer Cleaning and Disinfection [policy statement]. Rev ed. Irving, TX: American College of Emergency Physicians, 2021. Available at: www.acep.org/patient-care/policy-statements/guideline-for-ultrasound-transducer-cleaning-and-disinfection. [Kumetz, slide 5.]

Guidelines for Cleaning and Preparing External- and Internal-Use Ultrasound Transducers and Equipment between Patients as Well as Safe Handling and Use of Ultrasound Coupling Gel. Laurel, MD: American Institute of Ultrasound in Medicine, 2020. Available at www.aium.org/officialstatements/57. [Kumetz, slide 5.]

Rutala WA, Weber DJ. *Guideline for Disinfection and Sterilization in Healthcare Facilities*. Rev ed. Atlanta: Centers for Disease Control and Prevention, 2019. Available at: www.cdc.gov/infectioncontrol/guidelines/disinfection. Accessed 24 March 2020. [Kumetz, slide 5.]

Spaulding EH. Chemical disinfection and antisepsis in the hospital. *J Hosp Res*. 1957;9(1):5–31. [Kumetz, slide 6.]

Vivek S. Tayal, MD, FACEP, FAIUM
Translating Practitioner Concerns into Practice Guidelines

AHRQ Quality Indicators Toolkit: Selected Best Practices and Suggestions for Improvement; Patient Safety Indicator 6, Iatrogenic Pneumothorax. Rockville, MD: Agency for Healthcare Research and Quality, 2016. Available at: www.ahrq.gov/sites/default/files/wysiwyg/professionals/systems/hospital/qitoolkit/d4e-pneumothorax-bestpractices.pdf. [Tayal, slide 3.]

Guideline for Ultrasound Transducer Cleaning and Disinfection [policy statement]. Rev ed. Irving, TX: American College of Emergency Physicians, 2021. Available at: www.acep.org/patient-care/policy-statements/guideline-for-ultrasound-transducer-cleaning-and-disinfection. [Tayal, slide 13.]

Kohn LT, Corrigan JM, Donaldson MS, eds. *To Err Is Human: Building a Safer Health System*. Washington, DC: National Academies Press, 2000; doi: [10.17226/9728](https://doi.org/10.17226/9728). [Tayal, slide 3.]

Making Health Care Safer II: An Updated Critical Analysis of the Evidence for Patient Safety Practices [Evidence Reports/Technology Assessments, no. 211]. Rockville, MD: Agency for Healthcare Research and Quality, 2013. Available at: www.ahrq.gov/sites/default/files/wysiwyg/research/findings/evidence-based-reports/services/quality/patientsftyupdate/ptsafetyII-full.pdf. [Tayal, slide 3.]

Making Health Care Safer: A Critical Analysis of Patient Safety Practices (Evidence Report/Technology Assessment, no. 43), Summary [online]. Rockville, MD: Agency for Healthcare Research and Quality, 2001. Available at: <https://archive.ahrq.gov/clinic/ptsafety/summary.htm>. [Tayal, slide 3.]

Reprocessing Medical Devices in Health Care Settings; Validation Methods and Labeling: Guidance for Industry and Food and Drug Administration Staff. Silver Spring, MD: FDA, 2017. Available at: www.fda.gov/media/80265/download. [Tayal, slide 9.]

Rutala WA, Weber DJ. *Guideline for Disinfection and Sterilization in Healthcare Facilities*. Rev ed. Atlanta: Centers for Disease Control and Prevention, 2019. Available at: www.cdc.gov/infectioncontrol/guidelines/disinfection. Accessed 24 March 2020. [Tayal, slide 10.]

Rutala WA, Weber DJ. Reprocessing semicritical items: outbreaks and current issues. *Am J Infect Control*. 2019;47S:A79–A89; doi: [10.1016/j.ajic.2019.01.015](https://doi.org/10.1016/j.ajic.2019.01.015). [Tayal, slide 12.]

Selected EPA-Registered Disinfectants [online]. Washington, DC: Environmental Protection Agency, 2022. Available at: www.epa.gov/pesticide-registration/selected-epa-registered-disinfectants. [Tayal, slide 9.]

What is the U.S. Opioid Epidemic? [online]. Washington, DC: Department of Health and Human Services, 2022. Available at: www.hhs.gov/opioids/about-the-epidemic/index.html. [Tayal, slide 4].

Oliver Kripfgans, PhD, FAIUM The Taskforce and Creation of the Intersocietal Position Statement

Abdelfattah R, Al-Jumaah S, Al-Qahtani A, Al-Thawadi S, Barron I, Al-Mofada S. Outbreak of *Burkholderia cepacia* bacteraemia in a tertiary care centre due to contaminated ultrasound probe gel. *J Hosp Infect*. 2018;98(3):289–294; doi: [10.1016/j.jhin.2017.09.010](https://doi.org/10.1016/j.jhin.2017.09.010). [Kripfgans, slide 11.]

Adhikari S, Blaivas M, Morrison D, Lander L. Comparison of infection rates among ultrasound-guided versus traditionally placed peripheral intravenous lines. *J Ultrasound Med*. 2010;29(5):741–747; doi: [10.7863/jum.2010.29.5.741](https://doi.org/10.7863/jum.2010.29.5.741). [Kripfgans, slides 7, 10, 11.]

Adhikari S, Blaivas M, Morrison D, Lander L. Corrigendum to Comparison of infection rates among ultrasound-guided versus traditionally placed peripheral intravenous lines. *J Ultrasound Med*. 2010; 29(5):741–747; doi:[10.7863/jum.2010.29.5.741](https://doi.org/10.7863/jum.2010.29.5.741). *J Ultrasound Med*. Published online before print, 20 May 2022; doi: [10.1002/jum.16025](https://doi.org/10.1002/jum.16025). [Kripfgans, slides 7, 10, 11.]

Alberts B, Johnson A, Lewis J, et al. *Molecular Biology of the Cell*. 4th ed. New York: Garland Science; 2002. [Kripfgans, slide 6.]

Appendix A: regulatory framework for disinfectants and sterilants. *Morb Mortal Wkly Rep*. 2003;52:62–64. Available at: www.cdc.gov/mmwr/preview/mmwrhtml/rr5217a2.htm. [Kripfgans, slide 9.]

Bloodborne Pathogens [Occupational Safety and Health Standard no. 1910.1030]. Washington, DC: Occupational Safety and Health Administration, 2020. Available at: <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.1030>. [Kripfgans, slide 7.]

Carrico RM, Furmanek S, English C. Ultrasound probe use and reprocessing: results from a national survey among U.S. infection preventionists. *Am J Infect Control*. 2018;46(8):913–920; doi: [10.1016/j.ajic.2018.03.025](https://doi.org/10.1016/j.ajic.2018.03.025). [Kripfgans, slide 11.]

Cartier V, Haenny A, Inan C, Walder B, Zingg W. No association between ultrasound-guided insertion of central venous catheters and bloodstream infection: a prospective observational study. *J Hosp Infect.* 2014;87(2):103–108; doi: [10.1016/j.jhin.2014.03.009](https://doi.org/10.1016/j.jhin.2014.03.009). [Kripfgans, slide 11.]

Caturelli E, Giacobbe A, Facciorusso D, et al. Free-hand technique with ordinary antiseptics in abdominal US-guided fine-needle punctures: three-year experience. *Radiology.* 1996;199(3):721–723; doi: [10.1148/radiology.199.3.8637995](https://doi.org/10.1148/radiology.199.3.8637995). [Kripfgans, slide 11.]

Disinfection of ultrasound transducers used for percutaneous procedures: Intersocietal Position Statement. *J Ultrasound Med.* 2021;40(5):895–897; doi: [10.1002/jum.15653](https://doi.org/10.1002/jum.15653). [Kripfgans, slides 4, 12, 13.]

Erratum: Correction to the article, “Disinfection of ultrasound transducers used for percutaneous procedures: Intersocietal Position Statement” (doi: [10.1002/jum.15653](https://doi.org/10.1002/jum.15653)). *J Ultrasound Med.* 2022;41(3):797; doi: [10.1002/jum.15906](https://doi.org/10.1002/jum.15906). [Adds the names of additional supporting organizations. No other corrections were made. Kripfgans slides 4,12, 13.]

Guidelines for Cleaning and Preparing External- and Internal-Use Ultrasound Transducers and Equipment between Patients as Well as Safe Handling and Use of Ultrasound Coupling Gel. Laurel, MD: American Institute of Ultrasound in Medicine, 2020. Available at www.aium.org/officialstatements/57. [Kripfgans, slides 3, 5.]

List B: EPA’s Registered Tuberculocide Products Effective against Mycobacterium Tuberculosis. Washington, DC: United States Environmental Protection Agency, 2020. Available at: www.epa.gov/sites/production/files/2020-09/documents/20200922listb.pdf. [Kripfgans, slides 7, 9.]

Marketing Clearance of Diagnostic Ultrasound Systems and Transducers: Guidance for Industry and Food and Drug Administration Staff. Silver Spring, MD: FDA, 2019. Available at: www.fda.gov/media/71100/download. [Kripfgans, slide 9.]

Medical Device Alert: Reusable Transoesophageal Echocardiography, Transvaginal and Transrectal Ultrasound Probes (Transducers) [MDA 2012/037]. London: UK Medicines and Healthcare Products Regulatory Agency, 2012. Available at: <https://assets.publishing.service.gov.uk/media/5485abf1ed915d4c0d000261/con160567.pdf>. [Kripfgans, slide 11.]

Messina C, Sconfienza LM. Ultrasound-guided percutaneous irrigation of calcific tendinopathy. *Semin Musculoskelet Radiol.* 2016;20(5):409–413; doi: [10.1055/s-0036-1594285](https://doi.org/10.1055/s-0036-1594285). [Kripfgans, slide 11.]

National Institute of Biomedical Imaging and Bioengineering (NIBIB) [home page]. Available at: www.nibib.nih.gov. [Kripfgans, slide 3.]

Rutala WA, Weber DJ. *Guideline for Disinfection and Sterilization in Healthcare Facilities.* Rev ed. Atlanta: Centers for Disease Control and Prevention, 2019. Available at:

www.cdc.gov/infectioncontrol/guidelines/disinfection. Accessed 24 March 2020. [Kripfgans, slides 7, 9,11.]

Rutala WA, Weber DJ. Reprocessing semicritical items: outbreaks and current issues. *Am J Infect Control*. 2019;47S:A79–A89; doi: [10.1016/j.ajic.2019.01.015](https://doi.org/10.1016/j.ajic.2019.01.015). [Kripfgans, slides 9,11.]

Schulster LM, Chinn RYW. *Guidelines for Environmental Infection Control in Health-Care Facilities: Recommendations from CDC and the Healthcare Infection Control Practices Advisory Committee (HICPAC)*. Rev ed. Atlanta: Centers for Disease Control and Prevention, 2019. Available at: www.cdc.gov/infectioncontrol/guidelines/environmental/index.html. [Kripfgans, slide 9.]

Shaban RZ, Maloney S, Gerrard J, et al. Outbreak of healthcare-associated *Burkholderia cenocepacia* bacteremia and infection attributed to contaminated sterile gel used for central line insertion under ultrasound guidance and other procedures. *Am J Infect Control*. 2017;45(9):954–958; doi: [10.1016/j.ajic.2017.06.025](https://doi.org/10.1016/j.ajic.2017.06.025). [Kripfgans, slide 11.]

Nancy Moureau, RN, PhD, CRNI, CPUI, VA-BC Practical Challenges of Implementing the Intersocietal Position Statement

PICC Excellence [home page]. Available at: www.piccexcellence.com.

AIUM practice parameter for the use of ultrasound to guide vascular access procedures [Practice Guidelines]. *J Ultrasound Med*. 2019;38(3):E4–E18; doi: [10.1002/jum.14954](https://doi.org/10.1002/jum.14954); available at: www.aium.org/resources/guidelines/usgva.pdf. [Moureau, slides 6, 10.]

Disinfection of ultrasound transducers used for percutaneous procedures: Intersocietal Position Statement. *J Ultrasound Med*. 2021;40(5):895–897; doi: [10.1002/jum.15653](https://doi.org/10.1002/jum.15653). [Moureau, slides 4, 12.]

Erratum: Correction to the article, “Disinfection of ultrasound transducers used for percutaneous procedures: Intersocietal Position Statement” (doi:[10.1002/jum.15653](https://doi.org/10.1002/jum.15653)). *J Ultrasound Med*. 2022;41(3):797; doi: [10.1002/jum.15906](https://doi.org/10.1002/jum.15906). [Adds the names of additional supporting organizations. No other corrections were made. Moureau, slide 4.]

Gorski L, Hadaway L, Hagle M, et al. Infusion Therapy Standards of Practice, 8th ed. *J Infus Nurs*. 2021;44(1S suppl 1):S1–S224; doi: [10.1097/NAN.0000000000000396](https://doi.org/10.1097/NAN.0000000000000396). [Moureau, slide 8.]

Guidelines for Cleaning and Preparing External- and Internal-Use Ultrasound Transducers and Equipment between Patients as Well as Safe Handling and Use of Ultrasound Coupling Gel. Laurel, MD: American Institute of Ultrasound in Medicine, 2020. Available at www.aium.org/officialstatements/57. [Moureau, slide 4.]

Rowley S, Clare S. Aseptic non touch technique (ANTT): reducing healthcare associated infections (HCAI) by standardising aseptic technique with ANTT across large clinical

workforces [poster abstract]. *Am J Infect Control*. 2011;39(5):E90; doi: [10.1016/j.ajic.2011.04.164](https://doi.org/10.1016/j.ajic.2011.04.164). [Moureau, slides 8, 9.]

Diane Cullen, RN, MSN, MBA, CIC
Joint Commission Scoring on Transducer Cleaning and Disinfection, Handling
Manufacturer IFUs

The Joint Commission [home page]. Available at: www.jointcommission.org.

Clarifying infection control policy requirements. *Perspectives*. 2019;39(4):15–17; available at <https://jointcommission.org/-/media/tjc/documents/resources/patient-safety-topics/infection-prevention-and-hai/ic-hierarchical-approach-to-scoring-standards-april-2019-perspectives.pdf>. [Cullen, slide 3.]

Consistent interpretation: Joint Commission surveyors' observations related to reprocessing ultrasound transducers. *Joint Commission Perspectives*. 2021;41(7):30–32. Available at: https://store.jcrinc.com/assets/1/7/JCP_41_2021_07.pdf.

Cullen D. Best practices in reprocessing surface ultrasound transducers in ambulatory care settings [online blog]. *Ambulatory Buzz*. 26 October 2021. Available at: www.jointcommission.org/resources/news-and-multimedia/blogs/ambulatory-buzz/2021/10/best-practices-in-reprocessing-surface-ultrasound-transducers-in-ambulatory-care-settings.

Cullen D. Reprocessing surface ultrasound transducers [online blog]. *On Infection Prevention and Control*. 29 June 2021. Available at: www.jointcommission.org/resources/news-and-multimedia/blogs/on-infection-prevention-control/2021/06/reprocessing-surface-ultrasound-transducers/#.YkY_EFXMLDd.

Cullen D. Reprocessing ultrasound transducers. *Healthcare Hygiene Magazine*. 2021;3(9):12. Available at: <https://viewer.joomag.com/healthcare-hygiene-magazine-september-2021-september-2021/0280572001631046038?page=12>.